

# PRODUCT CATALOG



**UZoy**



**CARPET CLEANING MACHINES**

# CARPET WASHING MACHINES

4 - 6- 8 - 12 BRUSH MODELS



## 4 BRUSHES AUTOMATIC CARPET WASHING MACHINE



# CARPET WASHING MACHINES

## 4 - 6- 8 - 12 BRUSH MODELS



### 4 BRUSHES TECHNICAL SPECIFICATIONS



|  |                       |
|--|-----------------------|
| Machine Model                                    | HYM 4FB               |
| Machine Height                                   | 175 cm                |
| Detergent Tank                                   | 200 Liters            |
| Ideal Working Speed                              | 1.2 m/min             |
| Number of Circular Brushes                       | 4 pieces              |
| Pressurized Water System                         | Available             |
| Carpet Transport Trolley Supplied With Machine   | 1 piece               |
| Emergency Stop Button Front and Rear             | Available             |
| Brushes Operate Up-Down Manually                 | Available             |
| Machine Band Speed Adjustment                    | Available             |
| Separate Motor is Used For Each Brush            | V                     |
| Carpet Detergent Engine                          | Available             |
| Machine Consists of Piece Bands                  | V                     |
| Warranty Period                                  | 1 Year                |
| Rake Scraper System                              | Available             |
| Machine Model Year                               | 2024                  |
| Machine Voltage                                  | 380 Volts – 50 Hz     |
| Maximum Washing Capacity                         | 1200 m2               |
| Minimum Washing Capacity                         | 700 m2                |
| Water Consumption                                | 30-60lt/min           |
| Electricity Consumption                          | 13 Kwa/Hour           |
| Roller Scan Brush                                | 1 piece               |
| Bottom Washing Brush                             | Available             |
| Carpet Pre-Wetting Pool is Supplied with Machine | 1 piece               |
| Belt Forward and Backward Operation Button       | Available             |
| Works with Engine System                         | V                     |
| Machine Laser Sensor Controlled                  | V                     |
| Led Lighting                                     | Available             |
| Pressurized Water Engine                         | Available             |
| Disassembled Installation                        | V                     |
| Weight   | 1400 Kg               |
| Laser Cut and Special Production                 | V                     |
| Control Panel (Manual)                           | V                     |
| <b>SIZE</b>                                      | <b>260 CM- 320 CM</b> |

# CARPET WASHING MACHINES

4 - 6 - 8 - 12 BRUSH MODELS



## 6 BRUSHES AUTOMATIC CARPET WASHING MACHINE



# CARPET WASHING MACHINES

## 4 - 6- 8 - 12 BRUSH MODELS



### 6 BRUSHES TECHNICAL SPECIFICATIONS


|  |                        |
|--|------------------------|
| Machine Model                                    | HYM 6FB                |
| Machine Height                                   | 175 cm                 |
| Detergent Tank                                   | 200 Liters             |
| Ideal Working Speed                              | 1.2 m/min              |
| Number of Circular Brushes                       | 6 pieces               |
| Pressurized Water System                         | Available              |
| Carpet Transport Trolley Supplied With Machine   | 1 piece                |
| Emergency Stop Button Front and Rear             | Available              |
| Brushes Operate Up-Down Manually                 | Available              |
| Machine Band Speed Adjustment                    | Available              |
| Separate Motor is Used For Each Brush            | V                      |
| Carpet Detergent Engine                          | Available              |
| Machine Consists of Piece Bands                  | V                      |
| Warranty Period                                  | 1 Year                 |
| Rake Scraper System                              | Available              |
| Machine Model Year                               | 2024                   |
| Machine Voltage                                  | 380 Volts – 50 Hz      |
| Maximum Washing Capacity                         | 1200 m2                |
| Minimum Washing Capacity                         | 700 m2                 |
| Water Consumption                                | 30-60lt/min            |
| Electricity Consumption                          | 13 Kwa/Hour            |
| Roller Scan Brush                                | 1 piece                |
| Bottom Washing Brush                             | Available              |
| Carpet Pre-Wetting Pool is Supplied with Machine | 1 piece                |
| Belt Forward and Backward Operation Button       | Available              |
| Works with Engine System                         | V                      |
| Machine Laser Sensor Controlled                  | V                      |
| Led Lighting                                     | Available              |
| Pressurized Water Engine                         | Available              |
| Disassembled Installation                        | V                      |
| Weight   | 1600 Kg                |
| Laser Cut and Special Production                 | V                      |
| Control Panel Optional:(Manual or PLC SCREEN )   | V                      |
| <b>SIZE</b>                                      | <b>260 CM - 320 CM</b> |

# CARPET WASHING MACHINES

4 - 6- 8 - 12 BRUSH MODELS



## 8 BRUSHES AUTOMATIC CARPET WASHING MACHINE



# CARPET WASHING MACHINES

## 4 - 6- 8 - 12 BRUSH MODELS



### 8 BRUSHES TECHNICAL SPECIFICATIONS


|  |                        |
|--|------------------------|
| Machine Model                                    | HYM 8FB                |
| Machine Height                                   | 175 cm                 |
| Detergent Tank                                   | 200 Liters             |
| Ideal Working Speed                              | 1.2 m/min              |
| Number of Circular Brushes                       | 8 pieces               |
| Pressurized Water System                         | Available              |
| Carpet Transport Trolley Supplied With Machine   | 1 piece                |
| Emergency Stop Button Front and Rear             | Available              |
| Brushes Operate Up-Down Manually                 | Available              |
| Machine Band Speed Adjustment                    | Available              |
| Separate Motor is Used For Each Brush            | V                      |
| Carpet Detergent Engine                          | Available              |
| Machine Consists of Piece Bands                  | V                      |
| Warranty Period                                  | 1 Year                 |
| Rake Scraper System                              | Available              |
| Machine Model Year                               | 2024                   |
| Machine Voltage                                  | 380 Volts – 50 Hz      |
| Maximum Washing Capacity                         | 1200 m2                |
| Minimum Washing Capacity                         | 700 m2                 |
| Water Consumption                                | 30-60lt/min            |
| Electricity Consumption                          | 13 Kwa/Hour            |
| Roller Scan Brush                                | 1 piece                |
| Bottom Washing Brush                             | Available              |
| Carpet Pre-Wetting Pool is Supplied with Machine | 1 piece                |
| Belt Forward and Backward Operation Button       | Available              |
| Works with Engine System                         | V                      |
| Machine Laser Sensor Controlled                  | V                      |
| Led Lighting                                     | Available              |
| Pressurized Water Engine                         | Available              |
| Disassembled Installation                        | V                      |
| Weight   | 1750 Kg                |
| Laser Cut and Special Production                 | V                      |
| Control Panel Optional:(Manual or PLC SCREEN )   | V                      |
| <b>SIZE</b>                                      | <b>260 CM - 320 CM</b> |

# CARPET WASHING MACHINES

4 - 6 - 8 - 12 BRUSH MODELS



## 12 BRUSHES AUTOMATIC CARPET WASHING MACHINE





# CARPET WASHING MACHINES

## 4 - 6- 8 - 12 BRUSH MODELS




### 12 BRUSHES TECHNICAL SPECIFICATIONS

|  |                   |
|--|-------------------|
| Machine Model                                    | HYM 12FB          |
| Machine Height                                   | 175 cm            |
| Detergent Tank                                   | 200 Liters        |
| Ideal Working Speed                              | 1.2 m/min         |
| Number of Circular Brushes                       | 12 pieces         |
| Pressurized Water System                         | Available         |
| Carpet Transport Trolley Supplied With Machine   | 1 piece           |
| Emergency Stop Button Front and Rear             | Available         |
| Brushes Operate Up-Down Manually                 | Available         |
| Machine Band Speed Adjustment                    | Available         |
| Separate Motor is Used For Each Brush            | V                 |
| Carpet Detergent Engine                          | Available         |
| Machine Consists of Piece Bands                  | V                 |
| Warranty Period                                  | 1 Year            |
| Rake Scraper System                              | Available         |
| Machine Model Year                               | 2024              |
| Machine Voltage                                  | 380 Volts – 50 Hz |
| Maximum Washing Capacity                         | 1200 m2           |
| Minimum Washing Capacity                         | 700 m2            |
| Water Consumption                                | 30-60lt/min       |
| Electricity Consumption                          | 13 Kwa/Hour       |
| Roller Scan Brush                                | 1 piece           |
| Bottom Washing Brush                             | Available         |
| Carpet Pre-Wetting Pool is Supplied with Machine | 1 piece           |
| Belt Forward and Backward Operation Button       | Available         |
| Works with Engine System                         | V                 |
| Machine Laser Sensor Controlled                  | V                 |
| Led Lighting                                     | Available         |
| Pressurized Water Engine                         | Available         |
| Disassembled Installation                        | V                 |
| Weight   | 3200 Kg           |
| Laser Cut and Special Production                 | V                 |
| Control Panel (Manual)                           | V                 |
| <b>SIZE</b>                                      | <b>420 cm</b>     |

# CARPET DUSTER MACHINES



## STANDART CARPET DUSTER MACHINES



|  |                      |
|--|----------------------|
| Machine Model                              | HTM                  |
| Carpet Beater Drum Diameter                | 28 cm                |
| Machine Height                             | 150 cm               |
| Machine Width                              | 150 cm               |
| Warranty Period                            | 1 Year               |
| Foot System - Wheeled                      | V                    |
| Machine Model Year                         | 2024                 |
| Machine Voltage                            | 380 Volt-50 Hz       |
| Special Dust Container - 90 Liter          | Available            |
| Powder Whipping Capacity (200-300 M2/Hour) | V                    |
| Vacuum Motor                               | Available            |
| Electricity Consumption                    | 6.5 Kwa/Hour         |
| Band Forward And Backward Operation Button | Available            |
| Speed Control Panel                        | Available            |
| Working System - Manual                    | Available            |
| With Brush / Brushless                     | Available            |
| Weight                                     | 700-1200 Kg          |
| <b>SIZE</b>                                | <b>260 CM -320CM</b> |

# CARPET DUSTER MACHINES



## CARPET DUSTER NEW MODEL (WITH CONVEYOR)

|  |                       |
|--|-----------------------|
| Machine Model                              | HTM                   |
| Carpet Beater Drum Diameter                | 28 cm                 |
| Machine Height                             | 150 cm                |
| Machine Width                              | 120 cm                |
| Warranty Period                            | 1 Year                |
| Foot System - Wheeled                      | V                     |
| Conveyor Belt                              | Available             |
| Machine Model Year                         | 2024                  |
| Machine Voltage                            | 380 Volt-50 Hz        |
| Special Dust Container - 90 Liter          | Available             |
| Powder Whipping Capacity (200-300 M2/Hour) | V                     |
| Vacuum Motor                               | Available             |
| Electricity Consumption                    | 6.5 Kwa/Hour          |
| Band Forward And Backward Operation Button | Available             |
| Speed Control Panel                        | Available             |
| Weight                                     | 700-1200 Kg           |
| <b>SIZE</b>                                | <b>260 CM -320 CM</b> |


## CARPET DUSTER NEW MODEL (NON CONVEYOR)

|  |                       |
|--|-----------------------|
| Machine Model                                      | HTM                   |
| Carpet Beater Drum Diameter                        | 28 cm                 |
| Machine Height                                     | 150 cm                |
| Machine Width                                      | 120 cm                |
| Warranty Period                                    | 1 Year                |
| Foot System - Wheeled                              | V                     |
| Working System-Give From Above and Take From Below | Available             |
| Machine Model Year                                 | 2024                  |
| Machine Voltage                                    | 380 Volt-50 Hz        |
| Special Dust Container - 90 Liter                  | Available             |
| Powder Whipping Capacity (200-300 M2/Hour)         | V                     |
| Vacuum Motor                                       | Available             |
| Electricity Consumption                            | 6.5 Kwa/Hour          |
| Band Forward And Backward Operation Button         | Available             |
| Speed Control Panel                                | Available             |
| Working System - Manual                            | Available             |
| Weight   | 700-1200 Kg           |
| <b>SIZE</b>  | <b>260 CM -320 CM</b> |

# CARPET DRYING MACHINES



## CARPET DRYING MACHINES MODEL 330-38



|                                      |                   |
|--------------------------------------|-------------------|
| Machine Model                        | HKM               |
| Machine Drum Length                  | 330 cm            |
| Machine Drum Diameter                | 38 cm             |
| Machine Size                         | 465 cm            |
| Machine Height                       | 150 cm            |
| Warranty Period                      | 1 Yil             |
| Foot System - Private Stand          | V                 |
| Bottom Rubber Wedges                 | V                 |
| Machine Model Year                   | 2024              |
| Machine Voltage                      | 380 Volt-50 Hz    |
| Engine Power                         | 4 Kwa/5.5 Hp/Saat |
| Engine Speed                         | 1300 d/Dakika     |
| Balance System - Bellows/Wheeled     | V                 |
| Panel System (Time Relay Panel )     | V                 |
| Machine inner Drum- Stainless Chrome | V                 |
| Weight                               | 400 Kg            |
| <b>SIZE</b>                          | <b>330/38</b>     |

# CARPET DRYING MACHINES



## CARPET DRYING MACHINES MODEL 330-42

|                                      |                     |
|--------------------------------------|---------------------|
| Machine Model                        | HKM                 |
| Machine Drum Length                  | 330 cm              |
| Machine Drum Diameter                | 42 cm               |
| Machine Size                         | 465 cm              |
| Machine Height                       | 150 cm              |
| Warranty Period                      | 1 Yıl               |
| Foot System - Private Stand          | V                   |
| Bottom Rubber Wedges                 | V                   |
| Machine Model Year                   | 2024                |
| Machine Voltage                      | 380 Volt-50 Hz      |
| Engine Power                         | 5.5 Kwa/7,5 Hp/Saat |
| Engine Speed                         | 1300 d/Dakika       |
| Balance System - Bellows/Wheeled     | V                   |
| Panel System (Time Relay Panel )     | V                   |
| Machine inner Drum- Stainless Chrome | V                   |
| Weight                               | 450 Kg              |
| <b>SIZE</b>                          | <b>330/42</b>       |


## CARPET DRYING MACHINES MODEL 330-48

|                                       |                   |
|---------------------------------------|-------------------|
| Machine Model                         | HKM               |
| Machine Drum Length                   | 420 cm            |
| Machine Drum Diameter                 | 48 cm             |
| Machine Length                        | 440 cm            |
| Machine Height                        | 150 cm            |
| Warranty Period                       | 1 Year            |
| Foot System - Custom Stand            | V                 |
| Lower Rubber Wedges                   | V                 |
| Machine Model Year                    | 2024              |
| Machine Voltage                       | 380 Volt-50 Hz    |
| Motor Power                           | 22 Kwa/30 Hp/Hour |
| Engine Speed                          | 1500 d/Minute     |
| Balance System - Bellows/Wheeled      | V                 |
| Panel System(Start-Stop/Timed)        | V                 |
| Machine Inner Drum - Stainless Chrome | V                 |
| Weight                                | 900 Kg            |
| <b>SIZE</b>                           | <b>420/48</b>     |

# CARPET PACKING MACHINES



## CARPET PACKING MACHINES



# CARPET PACKING MACHINES



## CARPET PACKING MACHINES (STANDART)

|  |                        |
|--|------------------------|
| Machine Model                              | HPM                    |
| Roller Brush Diameter                      | 25 cm                  |
| Machine Height                             | 173 cm                 |
| Machine Width                              | 150 cm                 |
| Warranty Period                            | 1 Year                 |
| Front Control Panel                        | V                      |
| Machine Model Year                         | 2024                   |
| Machine Voltage                            | 380 Volt-50 Hz         |
| Special Dust Container - 90 Liter          | Available              |
| Packing Capacity (200-300 M2/Saat)         | V                      |
| Vacuum Motor                               | Available              |
| Electricity Consumption                    | 6.5 Kwa/Hour           |
| Band Forward And Backward Operation Button | Available              |
| Lower Roller Combing Brush                 | 1 Pieces               |
| Weight                                     | 1500-1700 Kg           |
| <b>SIZE</b>                                | <b>260 CM - 320 CM</b> |

## CARPET PACKING MACHINES (NEW MODEL)

|  |                        |
|--|------------------------|
| Machine Model                              | HPM                    |
| Roller Brush Diameter                      | 35 cm                  |
| Machine Height                             | 175 cm                 |
| Machine Width                              | 220 cm                 |
| Warranty Period                            | 1 Year                 |
| Front Control Panel                        | V                      |
| Machine Model Year                         | 2024                   |
| Machine Voltage                            | 380 Volt-50 Hz         |
| Special Dust Container - 180 Liter         | Available              |
| Packing Capacity (200-300 M2/Saat)         | V                      |
| Vacuum Motor                               | Available              |
| Electricity Consumption                    | 6.5 Kwa/Hour           |
| Band Forward And Backward Operation Button | Available              |
| Lower Roller Combing Brush                 | 1 Pieces               |
| Weight                                     | 900-1100 Kg            |
| <b>SIZE</b>                                | <b>260 CM - 320 CM</b> |



Our company started its service life in the machinery industry in Adana-Turkey in 2020. It has gained a permanent place in the machinery sector in the markets of most countries in the Balkans and Europe, especially Serbia, then Romania and Kosovo. Sersel Makine Sanayi ve Ticaret LTD ŐTİ, which uses Uzay Makine as its brand abroad, provides services with its experience in the sector with industrial carpet washing machines, carpet dusting machines, quilt and blanket washing-drying machines, carpet packaging machines. As of 2024, the number of countries we currently serve is 11 directly and 32 indirectly. We will continue to spread our machines all over the world thanks to their ergonomic working structure, practicality and ease of use.



[www.uzaymakinetr.com](http://www.uzaymakinetr.com)  
[info@uzaymakinetr.com](mailto:info@uzaymakinetr.com)

Tel : +90 532 452 00 22 - +90 537 227 02 22  
Yeşiloba 46167 St. Efer 2 39-AT D:1 Adana / TURKEY